

Novice

Only Brushed motors: Traxxas Bandit, Traxxas Rustler, and Traxxas Slash

Motor: Titan 12 turn 550 part# 3785

Batteries: 8.44 volt Part# 2875x, 2842x, any 5200 50c or 2960x, 2961x

Chassis: Stock

Once you can dominate this class with 1st place 3 times in a row you must bump up to next class.

Losi Mini T

Box Stock

Chassis & Parts: Must use original Losi MFG suspension and Chassis parts. No aftermarket hop-ups (e.g., RPM) or aluminum parts allowed.

Electronics: All stock electronics (ESC, servo, motor, radio) must be used. No modifications to wires (e.g., shortening or direct soldering).

Motor: Stock LOS-1907 28-turn 380 brushed motor is mandatory and must remain unmodified.

Battery: 2s LiPo battery in the stock location. 810mah part #spx812sh2

Tires: Losi brand medium or soft compound tires for the Mini T/B are allowed.

Shocks: Stock Shock bodies and springs only, though shock oil may be changed.

Gearing: Must use stock gearing

Losi Mini B

Motor: Must use the stock brushed motor (e.g., Losi 28T 380 motor).

Electronics: Stock ESC, receiver, and servo must be used and cannot be modified or replaced.

Battery: Must be the stock battery 810mah

Gear: Must use the stock gearing (pinion and spur) as provided in the kit.

Tires: Must use Losi brand Mini-B/Mini T tires Soft or Medium.

Chassis/Suspension: Must remain stock, with no lightening or cutting of parts. Shock oil may be changed. Body must remain stock.

Traxxas Mini Slash “Brushless”

Chassis & Suspension: Stock High-center-of-gravity HCGL or low-center-of-gravity LCG chassis. No after-market parts. Shock oils may be changed.

Electronics: Must use stock servo and receiver.

Gearing: Only stock gear ratios are allowed.

Tires: Must use stock Traxxas tires and wheels.

Battery: must use stock battery or any 5200 52C battery.

NO CUTTING, DRILLING, OR LIGHTWEIGHT MODIFICATIONS.

Traxxas 4wd Jato “Brushless”

Chassis: Must use stock 4wd Slash HGC or LGC. No modification to the chassis structure is allowed.

Electronics: Stock BL-2s (or Titan 12t) motor and ESC must be used.

Radio and Servo: Stock Traxxas TQ radio, receiver, and servo.

Battery: Stock Traxxas 2s LiPo or any 5200 50C.

Gearing: Must use the stock pinion/spur gears that comes with the car.

Tires & wheels: Must use factory Traxxas Slash tires and rims.

Suspension: Stock shocks and springs only. No aftermarket suspension arms.

Modifications: No lightning of the car, no drilling, and no adding weight

Traxxas 2wd Slash “Brushless”

Chassis: Must use stock Traxxas 2wd Slash chassis.

Motor: Stock Traxxas Titan 12t brushed motor XL-5 ESC, or stock BL-2S brushless system. No modifications to electronics.

Batteries: 2S LiPo any 5200 50C .

Tires and Wheels: Must use Traxxas brand slash tires and wheels.

Body: Stock Traxxas Slash body, No after market bodies. No venting or cutting holes allowed.

Suspension/shocks: Stock shocks and springs only. Shock oil may be changed.

Gearing: Must use stock pinion/spur gears that comes with the car.

Traxxas 4wd Slash “Brushless”

Chassis: Must use stock 4wd Slash HGC or LGC. No modification to the chassis structure are allowed.

Electronics: Stock BL-2s (or Titan 12t) motor and ESC must be used.

Radio and Servo: Stock Traxxas TQ radio, receiver, and servo.

Battery: Stock Traxxas 2s LiPo or any 5200 50C.

Gearing: Must use the stock pinion/spur gears that comes with the car.

Tires & wheels: Must use factory Traxxas Slash tires and rims.

Suspension: Stock shocks and springs only. No after market suspension arms.

Modifications: No lightening of the car, no drilling, and no adding weigh

Traxxas Rustler 2wd “Brushless”

Chassis: Must use stock

Battery: 2s LiPo or any 5200 50c.

Motor: Must use brushless BL2

Gearing: Must use the stock pinion/spur gears that comes with the car.

Suspension: Stock shocks and springs, no aftermarket.

Radio and Servo: Must be box stock

Wheels and tires: Must used tires and rims that comes with the truck.

No aftermarket parts of any kind. Body must remain the same no cutting, drilling, or adding.

Traxxas Rustler 4wd “Brushless”

Chassis: Must use stock

Battery: 2s LiPo or any 5200 50c.

Gearing: Must use the stock pinion/spur gears that comes with the car.

Suspension: Stock shocks and springs, no aftermarket.

Radio and Servo: Must be box stock

Wheels and tires: Must use tires and rims that comes with the truck.

No aftermarket parts of any kind. Body must remain the same no cutting, drilling, or adding.

Traxxas Bandit 2wd “Brushed”

Chassis: Must use Stock.

Battery: any 5200 50C battery or stock battery.

Motor: Titan 12T

Gearing: Must use the stock pinion/spur gear.

Suspension: Stock shocks and springs, no aftermarket.

Radio and Servo: Must be box stock.

Wheels and Tires: Must use Stock tires and rims that it comes with.

No Aftermarket parts of any kind. Body must remain the same no cutting, drilling, or adding.

Traxxas Rustler 2wd “Brushed”

Chassis: Must use Stock.

Battery: any 5200 50C battery or stock battery.

Motor: Titan 12T

Gearing: Must use the stock pinion/spur gear.

Suspension: Stock shocks and springs, no aftermarket.

Radio and Servo: Must be box stock.

Wheels and Tires: Must use Stock tires and rims that it comes with.

No Aftermarket parts of any kind. Body must remain the same no cutting, drilling, or adding.

Traxxas Slash 2wd “Brushed”

Chassis: Must use Stock.

Battery: any 5200 50C battery or stock battery.

Motor: Titan 12T

Gearing: Must use the stock pinion/spur gear.

Suspension: Stock shocks and springs, no aftermarket.

Radio and Servo: Must be box stock.

Wheels and Tires: Must use Stock tires and rims that it comes with.

No Aftermarket parts of any kind. Body must remain the same no cutting, drilling, or adding.

2wd Stadium Truck

Chassis: Any off-road 1/10 2-wheel drive truck style chassis (excluding short course trucks).

Battery: 2-cell hard case Li-Poly Batteries.

Motor: Roar approved stock 17.5 spec brushless motor.

Gearing: box stock gears

Suspension: box stock

Radio and Servo: Electronic Speed Control. Roar approved non-timing ESC's, Blinky Only

Wheels and Tires: TBD

2wd Short Course Truck

Chassis: Any off-road 2-wheel drive short course truck style chassis.

Battery: 2-cell hard case LiPo battery.

Motor: Roar approved stock 13.5 spec brushless motor.

Gearing: Stock gearing only.

Suspension: must be stock no aftermarket.

Radio and Servo: ESC roar approved non-timing ESC's Blinky only.

Wheels and Tires: TBD

2wd Short Course Truck Modified

Chassis: Any off-road 2-wheel drive short course truck style chassis.

Battery: 2-cell hard case LiPo battery.

Motor: Any Brushless motor. Generally, this class will be 10.5T motors and lower.

Gearing: open

Suspension: open

Radio and Servo: open

Wheels and Tires: TBD. 1/8 Buggy tires are not allowed.

2wd Buggy Modified

4wd Buggy Modified

4wd Short Course Truck Modified

All Modified classes are open unless otherwise stated. The track director/owner can change rules at any point they see fit. Thank You!

